



# Star NP3512

## Three Inch Thermal Fanfold Ticket Kiosk Printer




The NP-3512 is a sleek thermal ticket printer perfect for kiosk and gaming applications. Its compact and light weight design enables it to be easily mounted in various applications and the unique clamshell design print head allows for easy paper or ticket loading. It features an adjustable tray to support 65, 75 or 80 mm fanfold ticket stock. Additionally, messy paper jams are a thing of the past with the jam proof auto cutter, increasing uninterrupted stand-alone operation time.

- Jam Proof Auto Cutter
- Thick Paper Support
- Supports 65, 75 or 80mm Fanfold Ticket Stock
- Low Profile
- Easy Operation
- Easy Paper Loading



Clamshell Print Head



Adjustable Width Tray



Thick Media Support



Fanfold Paper Support



# NP-3512 Specifications

3 Inch Thermal Fanfold Ticket Kiosk Printer		
<b>Features / Benefits</b>	<b>High Speed</b>	200 mm/sec print speed
	<b>Clamshell Print Head</b>	Clamshell-type print head makes clearing difficult paper loading a thing of the past! Simply lift the print head up and slide the paper through
	<b>Lock-Free Auto Cutter</b>	Provides the demanded reliability and uptime required in stand alone applications
	<b>Adjustable Fanfold Paper Width</b>	Easily adjust the tray to output 65, 76, or 80 mm wide tickets to users
	<b>Thick Paper Support</b>	Prints on high quality ticket or receipt paper stock from 65 – 150 micrometers thick
	<b>Low Profile</b>	Small size to fit into small spaces
	<b>Static Electricity Proof</b>	Added protection for indoor or outdoor use
	<b>Various Operating System Support</b>	Windows XP/2000/Vista and Linux CUPS drivers available to allow integration into a wide variety of fields
<b>Connectivity</b>	9-Pin Serial 25-Pin Serial Parallel USB <b>Dual 9-Pin Serial/USB</b> Ethernet	
Note: Connections in <b>bold</b> are supported; grayed-out connection types may be supported by other printer receipt models.		
<b>Drivers</b>	<b>Windows 2000</b> <b>Windows XP</b> <b>Windows Vista</b> <b>Linux</b>	
Note: Drivers in <b>bold</b> are supported; grayed-out operating systems may be supported by other printer receipt models.		
<b>Optional Accessories</b>	Power Supply (PS60A)	
<b>Technical Specifications</b>	Print Method: Direct Thermal Print Speed: 200 mm/sec Ticket Width: 65mm, 76mm, or 80mm Ticket Length: 156mm, 165mm Ticket Thickness: 0.1 – 0.15mm	Operating Voltage: 24V DC Resolution: 8 dots/mm Print Head Life: 100km Dimensions: W=127 mm, H=232mm, D=82mm
<b>Warranty</b>	1 Year Limited Warranty	
<b>For Further Information</b>	Sales: 1-800-782-7636 x107 Technical Support: 1-800-782-7636 x105	Web: <a href="http://www.starmicronics.com">http://www.starmicronics.com</a>





[www.L-TronDirect.com](http://www.L-TronDirect.com)

800-830-9523

[info@L-Tron.com](mailto:info@L-Tron.com)

596 Fishers Station Dr | Victor, NY | 14564 | Suite 1 A

[www.L-Tron.com](http://www.L-Tron.com)

Get in touch with us  
on social media!

